



01 Company Overview

02 Certificate

03 Product Catalog

04 Production Line

05 Contact Information





Basic Information

Hebei Cangtie Industrial Co., Ltd. is a leading enterprise specializing in steel pipes and fittings in Hebei Province, with a registered capital of 50 million RMB. Located in Yanshan Economic Development Zone, Cangzhou City, the company enjoys superior geographical advantages with convenient transportation networks.

Development History

Since its establishment, the company has built a reputation for high-quality products and excellent after-sales service. Adhering to the principles of friendliness and integrity, it has earned the trust and praise of customers.

Corporate Vision

The company welcomes cooperation from businesses across various sectors and is committed to providing dedicated services to all clients.















Straight seam welded steel pipe

Outer diameter: 1mm-2000mm

Wall thickness: 1.0mm to 50mm

Length: 6m/9m/12m

Material: Carbon steel/stainless

steel/alloy steel




Butt-welded steel pipe

Diameter:323.9mm-2032mm

Wall thickness:6mm-40mm

Length:6m,9m,12m

Material: Carbon steel, stainless steel, alloy steel



Welded square tube



Diameter:20mm*20mm—200mm*200mm

Wall thickness: 1mm - 10mm

Length:6m,9m,12m

Material: Carbon steel, stainless steel

International standards: ASTM A500 EN 10219 JIS G3466, etc.

Carbon Steel Seamless Pipe





Stainless steel seamless pipe









Alloy Steel Seamless Pipe





Seamless square steel pipe







Hot-Dip Galvanized Steel Pipe

Nominal diameter: DN15 (1/2") ~ DN1200 (48")

Wall thickness: 0.5mm ~ 20mm sch10 sch40

Length: Usually 6m, 9m and 12m standard lengths, can also be customized according

to customer needs

International standards: ASTM A53/A53M ISO 1127 EN 10255 AS/NZS 1579 EN

10255 ASME B36.10

Electro-Galvanized Steel Pipe

Nominal diameter: DN15 $(1/2") \sim DN150 (6")$

Wall thickness: 2.0-4.0mm

Length: Usually there are standard lengths such as 6m, 9m and 12m, and can also be

customized according to customer needs








Anti-corrosion steel pipe

Diameter:323.9mm-2032mm

Wall thickness:6mm-40mm

Length:6m,9m,12m

Material: Carbon steel, stainless steel, alloy steel





Polyurethane insulated steel pipe




Rockwool insulation steel pipe





Plastic coated steel pipe

Plastic coated steel pipe, also known as plastic coated pipe, steel plastic composite pipe, plastic coated composite steel pipe, is a steel-plastic composite steel pipe with a steel pipe as the base, a plastic anticorrosion layer is welded on the inner surface of the steel pipe (bottom pipe) through spraying, rolling, dipping, and suction processes, or a plastic anti-corrosion layer is welded on the inner and outer surfaces. Plastic coated steel pipe has excellent corrosion resistance and relatively small friction resistance.





Cold bending pipe



Hot bending pipe



Clamp type acoustic detection tube Sleeve type acoustic detection tube





Spiral acoustic detection tube



Finned Tube



Flange



Tee



45° Elbow/45 degree elbow



60° Elbow/60 degree elbow



90° Elbow/90 degree elbow




















Production Line

Our steel pipe factory's assembly line is highly efficient and standardized. It begins with strict inspection of steel coils to ensure material quality. Then, precision rolling equipment shapes the coils into pipes of various specifications, while advanced welding technology secures firm joints. Each pipe undergoes rigorous dimensional measurement and non-destructive testing. Finally, coating treatments enhance corrosion resistance. With strict control at every step, we stably produce high-quality products.





Web	osite p://cangtiestee	lpipe.com		
Pho	ne number		 	
Wha	atsapp			
• F_n	 nail		 	

